

NAME TRANSAM
TRAVEL 130MM FRONT 27.5
120MM FRONT 29
WHEEL SIZE 27.5/29





PHOTO: KEVIN MENARD / RIDER: DARRIN SEEDS / LOCATION: CHUCKANUT MT.

TRANSAM OVERVIEW

The ultimate trail hardtail just got a whole lot cooler. The latest TransAM has been updated with super short 418mm chainstays, longer front center, stealth dropper support, and an all new dropout design. Our custom FAST (Freedom Axle System Technology) dropout uses a Syntace 142mm axle, but allow for chainstay length adjustment or singlespeed builds in a clean and tidy package. The TransAM was built following a strict recipe blending equal parts fun, value and style. Just like its namesake, the TransAM is powerful and ready to take you anywhere.

Progressive Geometry - Long, Slack & Low
Ultra short 418mm Chainstay Length
New **FAST DROPOUT** for Singlespeed Builds or Chainstay Length Adjustment
Syntace X12 Rear 142mm Axle and Universal Transition Derailleur Hanger

ISCG05 Chainguide Mounting
 No Front Derailleur Support
 44mm Headtube Fits Tapered Steerer Tube Forks
 Threaded 73mm Bottom Bracket Shell
 Stealth Seatpost Routing
 Medium 27.5 Frame Weight: 6.08 lbs.
 Medium 29 Frame Weight: 6.26 lbs.

04:06

View Geometry in **MILLIMETERS / INCHES**

	27.5" SM	MD	LG	XL		29" SM	MD	LG	XL	FRAME SPECS	
Reach	390	417	445	470	Reach	390	415	443	470	Fork Axle To Crown	522mm (27.5)/531mm (29)
Stack	618	618	623	633	Stack	641	641	642	646	Fork Offset	42mm (27.5)/51mm (29)
Effective TopTube	567	595	623	651	Effective TopTube	574	599	627	655	Headset (Top)	44mm Zero Stack
SeatTube	406	419	457	495	SeatTube	406	419	457	495	Headset (Bottom)	44mm External
SeatTube Angle	74	74	74	74	SeatTube Angle	74	74	74	74	BB Shell	73mm BSA Threaded
HeadTube Length	115	115	120	130	HeadTube Length	115	115	115	120	Rear Brake Mount	160mm IS Mount
HeadTube Angle	67.5	67.5	67.5	67.5	HeadTube Angle	67.5	67.5	67.5	67.5	Rear Axle	Syntace X12 12mm x 142mm
Chainstay	418	418	418	418	Chainstay	418	418	418	418	Front Derailleur Style	None
Wheelbase	1094	1122	1151	1180	Wheelbase	1103	1128	1156	1185	ISCG Tabs	ISCG 05 (2.5mm Offset)
BB Drop	35	35	35	35	BB Drop	55	55	55	55	Seatpost Diameter	30.9mm
Estimated BB Height	315	315	315	315	Estimated BB Height	315	315	315	315	Seat Clamp	34.9mm
Standover Height	681	687	716	742	Standover Height	684	689	718	736	Max Chaining Size	34t (27.5)/32t (29)
										Max Tire Size	27.5 x 2.5/29 x 2.3

**NEED, HELP PICKING A SIZE?
 CHECK OUT OUR SIZE GUIDE HERE.**



TRANSAM 27.5 COMPLETE BIKE

- FRAME TransAM Chromoly
- COLOR Neon Green or Dark Metallic
- FORK Rock Shox Pike RC 130mm 27.5
- STEM Race Face Respond (45mm)
- HANDLEBAR Kore Durox (760mm x 35mm)
- HEADSET FSA Orbit ITA
- CRANK Race Face Ride 32t NW (175mm)
- BRAKES Shimano Deore
- ROTORS Shimano RT66 180mm Front, 160mm Rear
- SHIFTER Shimano Deore iSpec
- CASSETTE SRAM PG 1020 (11-36)
- REAR DERAILLEUR Shimano SLX Shadow Plus GS
- WHEELSET WTB Frequency ST123 27.5 w/SRAM MTH 746
- TIRES Schwalbe Nobby Nic 27.5 x 2.35 Pacestar Evo
- SEATPOST Kore 2 Bolt (30.9mm x 400mm)
- SADDLE WTB Volt Comp
- GRIPS Transition Single Clamp
- CHAIN KMC X10
- PEDALS None
- WEIGHT Large 27.9 lbs.
- PRICE \$2299 USD*

TRANSAM 29 COMPLETE BIKE

- FRAME TransAM Chromoly
- COLOR Neon Green or Dark Metallic
- FORK Rock Shox Pike RC 120mm 29
- STEM Race Face Respond (45mm)
- HANDLEBAR Kore Durox (760mm x 35mm)
- HEADSET FSA Orbit ITA
- CRANK Race Face Ride 32t NW (175mm)
- BRAKES Shimano Deore
- ROTORS Shimano RT66 180mm
- SHIFTER Shimano Deore iSpec
- CASSETTE SRAM PG 1020 (11-36)
- REAR DERAILLEUR Shimano SLX Shadow Plus GS
- WHEELSET WTB Frequency ST123 29 w/SRAM MTH 746
- TIRES Schwalbe Nobby Nic 29 x 2.25 Pacestar Evo
- SEATPOST Kore 2 Bolt (30.9mm x 400mm)
- SADDLE WTB Volt Comp
- GRIPS Transition Single Clamp
- CHAIN KMC X10
- PEDALS None
- WEIGHT Large 28.4 lbs.
- PRICE \$2299 USD*

FRAMESET \$599 USD

*Prices are shown for the United States only. Prices vary for countries outside the United States. Spec on build kits subject to change at any time.

2641 DELTA RING RD., FERNDALE, WA 98248 | (360) 366-4960 | INFO@TRANSITIONBIKES.COM