



DAVID CONLEY (WARRANTY MANAGER) | PHOTO: KEVIN MENARD | CALBRAITH MT.



DAVID CONLEY (WARRANTY MANAGER) | PHOTO: KEVIN MENARD | GALBRAITH MT.

02:48


OVERVIEW

Despite its lightweight carbon construction, the Throttle is the most aggressive trail hardtail we have ever made. Designed to blur the lines between a trail bike and a dirt jump bike.

the Throttle doesn't feel out of place stopping for a DJ session on the way home from a trail ride. The Throttle combines the fun playful feel of our GiddyUp line with the efficiency of a carbon hardtail. A truly unique bike, the Throttle is the evolution of Transition hardtail frames.

- Progressive Geometry - Long, Low and Slack
- ISCG05 Chainguide Mounting
- No Front Derailleur Support
- 12 x 148mm Boost for Syntace X12 Axle
- Full Size Water Bottle Fits Inside Front Triangle
- Universal Transition Derailleur Hanger
- User Friendly 73mm Threaded Bottom Bracket
- Internal Cable Routing for Rear Derailleur and Seatpost
- Fits tires up to 2.6"
- Frame weight 1500 grams / 3.3 lbs.

GEOMETRY & SIZING



	►MILLIMETERS / INCHES	SM	MD	LG	XL
Reach		390	420	450	480
Stack		603	612	621	630
Effective TopTube		563	596	628	661
SeatTube		385	410	450	495
SeatTube Angle		74	74	74	74
HeadTube Length		100	110	120	130
HeadTube Angle		66	66	66	66
Chainstay		420	420	420	420
Wheelbase		1105	1139	1173	1207
BB Drop		40	40	40	40
Estimated BB Height		315	315	315	315
Standover Height		658	677	682	693

5'0"	5'2"	5'4"	5'6"	5'8"	5'10"	6'0"	6'2"	6'4"	6'6"
								XL	
						LARGE			
		SMALL		MEDIUM					

PRICING & BUILD KITS

>

THROTTLE COMPLETE BIKE



THROTTLE FRAMESET



PRICE	\$3699 USD	\$1699 USD
COLOR	Hot Mustard, Race Raw	Hot Mustard, Race Raw
FORK	RockShox Pike RC Solo Air 140mm (15x110)	
HEADSET	FSA No.57E	
STEM	RaceFace Aeffect 35 50mm	
BAR	RaceFace Chester 35 (780mm x 35mm)	
GRIPS	Velo Single Clamp	

SADDLE	ANVL Forge Stealth CroMo
SEATPOST	KS Lev Integra w/ Southpaw Remote (150mm)
BRAKES	SRAM Guide R
ROTORS	SRAM Centerline (180mm)
SHIFTER	SRAM GX
REAR DERAILLEUR	SRAM GX
CASSETTE	SRAM XG1150 (10-42)
CHAIN	SRAM PC1130
CRANK	RaceFace Aeffect Cinch (DM32t, 175mm)
RIMS	RaceFace AR 30mm 27.5 32h
HUBS	SRAM MTH 716/746
TIRES	Maxxis Minion 27.5x2.3 DHF/DHR II EXO Dual

FRAME SPECS

Fork Axle To Crown: 532mm
Fork Offset: 42-44mm
Headset (Top): 44mm Zero Stack
Headset (Bottom): 56mm Zero Stack
BB Shell: 73mm BSA Threaded
Rear Brake Mount: 160mm Post Mount
Rear Axle: Syntace X12 12mm x 148mm
Front Derailleur Style: None
ISCG Tabs: ISCG 05
Seatpost Diameter: 31.6mm
Seat Clamp: 34.9mm
Max Chainring Size: 36t Single
Max Tire Size: 27.5x2.6

1600 CAROLINA ST, BELLINGHAM, WA 98229 | (360) 366-4960 | INFO@TRANSITIONBIKES.COM